

# TECHNICAL BULLETIN

POLYGLASS USA Inc.  
Corporate Office  
1111 West Newport Center Drive  
Deerfield Beach, Florida 33442  
Tel. (954) 233-1330 - Fax: (954) 418-4453  
Email: [technical@polyglass.com](mailto:technical@polyglass.com)  
Website: [www.polyglass.com](http://www.polyglass.com)

## Technical Bulletin #2018-05 (Revised from 2007-01)

TO: All **POLYGLASS** Distributors & Users  
CC: POLYGLASS Sales & Technical Services  
Date: November 26, 2018  
Author: James E. Akins,  
National Technical Services Manager  
RE: Rotation and Storage of Polyglass Roll Products

In our efforts to provide support to our distributors and stock holders of Polyglass products, we would offer the following guidelines to assist in the storage and handling of Polyglass roll products.

- Polyglass promotes to rotate all stock in a first in first out (FIFO) basis. Seasonally specific, stocked product (Summer-Grade or Winter-Grade) should not be sold or used outside of their designated season. Stock not suitable for the seasonal condition, should be moved from actively used materials and held for appropriate climate conditions and/or season.
- Polyglass recommends that all boxed product be stored inside from weather and limited to double stacking of pallets. Any stacked pallets shall incorporate the use of a plywood separator between pallets.
- Non-boxed APP and SBS membranes are packaged for exterior storage. These products can usually be exposed to weather and too are limited to double stacking. Indoor storage is encouraged during winter months, if possible. Any double stacked pallets shall incorporate the use of a plywood separator between pallets.
- Polyglass does not recommend nor support triple stacked product.
- Roll membranes shall be stored upright on an elevated surface such as a pallet and on a flat surface. Rolls stored or transported in a laid down position, will result in distorted, damaged or “flattened” rolls.

Special circumstances and questions can be addressed to the POLYGLASS Technical Services Department.

11/26/2018  
JEA