

It's not too cold yet...

Roofing Season is
officially extended

with Polyglass!



POLYGLASS®



MAPEI
GROUP

NEW Elastoflex SA V Polar Base[®]
and Elastoflex SA P Polar Cap[®],
low-temperature SBS (elastomeric)
membranes designed for cold
weather applications (25° F - 60° F).

Manufactured using our patented
ADESO[®] Dual-Compound Self-Adhered
Technology, a high-quality
Styrene-Butadiene-Styrene modified
asphalt compound is applied on the top
layer and an aggressive self-adhesive
compound is applied on the bottom
side of the reinforcement.



Elastoflex SA V Polar Base®

- Suitable for cold weather climates
- Base or interply for self-adhered and torch multi-ply systems
- High performance fiberglass reinforcement
- Excellent long-term adhesion
- Low temp flexibility
- Elastoflex SA Polar Base® 2.5 mm (100 mils) also available (Canada Only)

Elastoflex SA P Polar Cap®

- Features SEALLap® ULTRA, side lap with self-adhesive compound for an instant bond, tested stronger than all other application methods and FASTLap®, granule-free end lap
- Reinforced with polyester mat for excellent puncture and tear resistance
- Suitable for cold weather climates
- Applied without open-flame torches, solvent-based adhesives or hot-asphalt, all which may be undesirable and/or prohibited
- UV stabilized, long-lasting granule surfacing
- Available in 2 colors: Black, White

Elastoflex SA P Polar Cap Sheet Color Options



WHITE



BLACK





Elastoflex SA V Polar Base[®] and Elastoflex SA P Polar Cap[®]

Designed for cold weather applications, manufactured using patented ADESO[®] Self-Adhered Technology.



DUAL-COMPOUND




SEALLap[®] ULTRA



FASTLap[®]



MULTIPLE SURFACE SOLUTIONS





POLYGLASS U.S.A., Inc.

1111 West Newport Center Drive

Deerfield Beach, FL 33442

pgmarketing@polyglass.com

Customer Service: (800) 222-9782

polyglass.us

© 2023 Polyglass U.S.A., Inc. All rights reserved.

All information printed is accurate at the time of publication and may change at any time with or without notice. For the most up to date information and data, please visit our website at polyglass.us.