

## Safety Data Sheet

### POLYTHERM HD

Safety Data Sheet dated: 11/17/2021 - version 1

Date of first edition: 11/17/2021



## 1. IDENTIFICATION

### Product identifier

Mixture identification:

Trade name: POLYTHERM HD

Trade code: PLY0087

### Recommended use of the chemical and restrictions on use

Recommended use: Article

Restrictions on use: N.A.

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: Polyglass U.S.A. Inc.

1111 West Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 866-222-9782

Responsible: RDProductSafety@mapei.com

### Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

## 2. HAZARD(S) IDENTIFICATION

### Classification of the chemical

0 The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Label elements

The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Ingredient(s) with unknown acute toxicity:

None

### Hazards not otherwise classified identified during the classification process:

None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substances

N.A.

### Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

### List of components

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
1-2.5 %	PENTANE	CAS:109-66-0	Flam. Liq. 2, H225; STOT SE 3, H336; Asp. Tox. 1, H304; Aquatic Chronic 2, H411	
0.1-0.25 %	FORMALDEHYDE	CAS:50-00-0 EC:200-001-8 Index:605-001-00-5	Skin Corr. 1B, H314; Skin Sens. 1, H317; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Carc. 2, H351	
0.1-0.25 %	Silica Sand	CAS:14808-60-7 EC:238-878-4	STOT RE 1, H372; Carc. 1A, H350	

## 4. FIRST AID MEASURES

### Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

**Most important symptoms/effects, acute and delayed**

N.A.

**Indication of any immediate medical attention and special treatment needed**

Treatment: N.A.  
(see paragraph 4.1)

---

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media**

Suitable extinguishing media:

- Water.
- Carbon dioxide (CO2).

**Unsuitable extinguishing media:**

None in particular.

**Specific hazards arising from the chemical**

- Do not inhale explosion and combustion gases.
- Burning produces heavy smoke.
- Hazardous combustion products: N.A.
- Explosive properties: N.A.
- Oxidizing properties: N.A.

**Special protective equipment and precautions for fire-fighters**

- Use suitable breathing apparatus.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Move undamaged containers from immediate hazard area if it can be done safely.

---

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

- Wear personal protection equipment.
- Remove persons to safety.
- Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
- Limit leakages with earth or sand.

**Methods and material for containment and cleaning up**

- Take up mechanically and dispose of according to local/state/federal regulations
- Scoop into containers and seal for disposal.
- Retain contaminated washing water and dispose it.

---

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

- Avoid contact with skin and eyes, inhalation of vapours and mists.
- Do not eat or drink while working.
- See also section 8 for recommended protective equipment.

**Conditions for safe storage, including any incompatibilities**

Storage temperature: N.A.  
Keep away from food, drink and feed.

Incompatible materials:  
None in particular.

Instructions as regards storage premises:  
Adequately ventilated premises.

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**List of components with OEL value**

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour Note
-----------	----------	---------	---------	-----------------	---------------	------------------	----------------	----------------

PENTANE	MAK	GERMANY	3000	1000					
	OSHA		2950	1000					
	ACGIH			1000				narcosis and respiratory tract irritation (listed under Pentane, all isomers)	
	EU		3000	1000				Indicative	
	MAK	AUSTRIA	1800	600	3600	1200			
	MAK	SWITZERLAND	1800	600					
FORMALDEHYDE	OSHA			0.75			2		
	ACGIH							0.3	
	ACGIH							0.3	
			C						A1 - Confirmed Human Carcinogen; eye and upper respiratory tract irritation; upper respiratory tract cancer; dermal sensitizer; respiratory sensitizer;
	MAK	GERMANY	0.37	0.3					
	ACGIH			0.1				0.3	A1 - Confirmed Human Carcinogen; eye and upper respiratory tract irritation; upper respiratory tract cancer; dermal sensitizer; respiratory sensitizer
	MAK	AUSTRIA	0.37	0.3	0.74	0.6			
	MAK	SWITZERLAND	0.37	0.3					
Silica Sand	EU		0.37	0.3					Binding
	ACGIH		0.025						A2 - Suspected Human Carcinogen; lung cancer; pulmonary fibrosis;
	ACGIH		0.025						A2 - Suspected Human Carcinogen; lung cancer; pulmonary fibrosis
	MAK	AUSTRIA	0.15						
	MAK	SWITZERLAND	0.15						

Appropriate engineering controls: N.A.

#### Individual protection measures

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness  $\geq 0,35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Butyl rubber - IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

N.A.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state: Solid

Appearance and colour: white

Odour: No data available

Odour threshold: No data available

pH: No data available  
Melting point / freezing point: 121.1 °C (250.0 °F)  
Initial boiling point and boiling range: No data available  
Flash point: No data available  
Evaporation rate: No data available  
Upper/lower flammability or explosive limits: No data available  
Vapour density: No data available  
Vapour pressure: No data available  
Relative density: 1.00 g/cm<sup>3</sup>  
Solubility in water: Insoluble  
Solubility in oil: No data available  
Partition coefficient (n-octanol/water): No data available  
Auto-ignition temperature: No data available  
Decomposition temperature: No data available  
Viscosity: No data available  
Explosive properties: No data available  
Oxidizing properties: No data available  
Solid/gas flammability: No data available

#### Other information

Substance Groups relevant properties No data available  
Miscibility: No data available  
Fat Solubility: No data available  
Conductivity: No data available

---

## 10. STABILITY AND REACTIVITY

### Reactivity

Stable under normal conditions

### Chemical stability

Data not available.

### Possibility of hazardous reactions

None.

### Conditions to avoid

Stable under normal conditions.

### Incompatible materials

None in particular.

### Hazardous decomposition products

None.

---

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

#### Toxicological information on main components of the mixture:

PENTANE	a) acute toxicity	LD50 Skin Rabbit = 3000 mg/kg LC50 Inhalation Rat = 364 g/m <sup>3</sup> 4h LD50 Oral Rat > 2000 mg/kg
FORMALDEHYDE	a) acute toxicity	LD50 Skin Rabbit = 270 mg/kg LD50 Oral Rat = 500 mg/kg LD50 Skin Rabbit = 270 mg/kg LC50 Inhalation Rat = 0.578 mg/l 4h LD50 Oral Rat = 100 mg/kg
Silica Sand	a) acute toxicity	LD50 Oral Rat = 500 mg/kg

#### Substance(s) listed on the IARC Monographs:

FORMALDEHYDE	Group 1
Silica Sand	Group 1

#### Substance(s) listed as OSHA Carcinogen(s):

FORMALDEHYDE

Silica Sand

**Substance(s) listed as NIOSH Carcinogen(s):**

FORMALDEHYDE

Silica Sand

**Substance(s) listed on the NTP report on Carcinogens:**

FORMALDEHYDE

Silica Sand

---

**12. ECOLOGICAL INFORMATION**

**Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

**List of components with eco-toxicological properties**

<b>Component</b>	<b>Ident. Numb.</b>	<b>Ecotox Infos</b>
PENTANE	CAS: 109-66-0	a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 9.87 mg/L 96h a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 11.59 mg/L 96h a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 9.99 mg/L 96h a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 9.74 mg/L 48h IUCLID
FORMALDEHYDE	CAS: 50-00-0 - EINECS: 200-001-8 - INDEX: 605-001- 00-5	a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 1510 µg/L 96h EPA  a) Aquatic acute toxicity : LC50 Fish Brachydanio rerio = 41 mg/L 96h IUCLID a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 100 mg/L 96h EPA a) Aquatic acute toxicity : LC50 Daphnia Daphnia magna = 2 mg/L 48h IUCLID  a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 22.6 mg/L 96h EPA a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 0.032 mL/L 96h EPA  a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 23.2 mg/L 96h EPA a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna 11.3 mg/L 48h EPA
Silica Sand	CAS: 14808-60-7 - EINECS: 238-878-4	a) Aquatic acute toxicity : LC50 carp > 10000.00000 mg/L 72h

**Persistence and degradability**

N.A.

**Bioaccumulative potential**

N.A.

**Mobility in soil**

N.A.

**Other adverse effects**

N.A.

---

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Clean waste packaging should be recycled when possible and authorized by the authority.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

**Special precautions:**

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

---

**14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

**UN number**

ADR-UN number: N.A.

DOT-UN Number: N.A.

IATA-Un number: N.A.

IMDG-Un number: N.A.

**UN proper shipping name**

ADR-Shipping Name: N.A.

DOT-Proper Shipping Name: N.A.

IATA-Technical name: N.A.

IMDG-Technical name: N.A.

**Transport hazard class(es)**

ADR-Class: N.A.

DOT-Hazard Class: N.A.

IATA-Class: N.A.

IMDG-Class: N.A.

**Packing group**

ADR-Packing Group: N.A.

DOT-Packing group: N.A.

IATA-Packing group: N.A.

IMDG-Packing group: N.A.

**Environmental hazards**

Marine pollutant: No

Environmental Pollutant: N.A.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

N.A.

**Special precautions**

Department of Transportation (DOT):

N.A.

Road and Rail ( ADR-RID ) :

N.A.

Air ( IATA ) :

N.A.

Sea ( IMDG ) :

N.A.

---

**15. REGULATORY INFORMATION**

**USA - Federal regulations**

**TSCA - Toxic Substances Control Act**

**TSCA inventory:**

All the components are listed on the TSCA inventory

**TSCA listed substances:**

PENTANE is listed in TSCA Section 8b Section 8a - PAIR

FORMALDEHYDE is listed in TSCA Section 8b Section 5

Silica Sand is listed in TSCA Section 8b

**SARA - Superfund Amendments and Reauthorization Act**

**Section 302 - Extremely Hazardous Substances:**

FORMALDEHYDE

**Section 304 - Hazardous substances:**

FORMALDEHYDE

**Section 313 - Toxic chemical list:**

FORMALDEHYDE

**CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act**

**Substance(s) listed under CERCLA:**

FORMALDEHYDE Reportable quantity: 100 pounds

**CAA - Clean Air Act**

**CAA listed substances:**

FORMALDEHYDE is listed in CAA Section 112(b) - HAP Section 112(b) - HON

**CWA - Clean Water Act**

**CWA listed substances:**

FORMALDEHYDE is listed in CWA Section 311

**USA - State specific regulations**

**California Proposition 65**

**Substance(s) listed under California Proposition 65:**

FORMALDEHYDE Listed as carcinogen

Silica Sand Listed as carcinogen

**Massachusetts Right to know**

**Substance(s) listed under Massachusetts Right to know:**

PENTANE

FORMALDEHYDE

Silica Sand

**Pennsylvania Right to know**

**Substance(s) listed under Pennsylvania Right to know:**

PENTANE

FORMALDEHYDE

Silica Sand

**New Jersey Right to know**

**Substance(s) listed under New Jersey Right to know:**

PENTANE

FORMALDEHYDE

Silica Sand

**Canada - Federal regulations**

**DSL - Domestic Substances List**

**DSL Inventory:**

All the substances are listed in the DSL.

**NDSL - Non Domestic Substances List**

**NDSL Inventory:**

No substances listed

**NPRI - National Pollutant Release Inventory**

**Substances listed in NPRI:**

No substances listed

**16. OTHER INFORMATION**

Safety Data Sheet dated: 11/17/2021 - version 1

**Additional classification information**

NFPA Health: 0 = Minimal

NFPA Flammability: 0 = Not Combustible

NFPA Reactivity: 0 = Minimal

NFPA Special Risk: N.A.



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This SDS cancels and replaces any preceding release.

<b>Code</b>	<b>Description</b>
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H350	May cause cancer.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

**Legend to abbreviations and acronyms used in the safety data sheet:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
IMDG: International Maritime Code for Dangerous Goods.  
IATA: International Air Transport Association.  
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
ICAO: International Civil Aviation Organization.  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
CLP: Classification, Labeling, Packaging.  
EINECS: European Inventory of Existing Commercial Chemical Substances.  
INCI: International Nomenclature of Cosmetic Ingredients.  
CAS: Chemical Abstracts Service (division of the American Chemical Society).  
GefStoffVO: Ordinance on Hazardous Substances, Germany.  
LC50: Lethal concentration, for 50 percent of test population.  
LD50: Lethal dose, for 50 percent of test population.  
DNEL: Derived No Effect Level.  
PNEC: Predicted No Effect Concentration.  
TLV: Threshold Limiting Value.  
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
WGK: German Water Hazard Class.  
KSt: Explosion coefficient.