# **Safety Data Sheet**

# MAPEPROOF LIQUID MEMBRANE PART B

Safety Data Sheet dated: 02/18/2022 - version 5

Date of first edition: 04/13/2020



## 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: MAPEPROOF LIQUID MEMBRANE PART B

Trade code: 9024384

Recommended use of the chemical and restrictions on use

Recommended use: Polyurethane membrane

Restrictions on use: Not available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: Polyglass U.S.A. Inc.

1111 West Newport Center Drive 33442 - Deerfield Beach - FL - USA

Phone: 866-222-9782

Responsible: Not available

Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-

6666

# 2. HAZARD(S) IDENTIFICATION





#### Classification of the chemical

Skin Irrit. 2 Causes skin irritation. Eye Irrit. 2B Causes eye irritation

Skin Sens. 1 May cause an allergic skin reaction.

Acute Tox. 4 Harmful if inhaled.

Resp. Sens. 1 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

STOT SE 3 May cause respiratory irritation.

# Label elements

#### **Pictograms and Signal Words**



#### \_

# **Hazard statements:**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H320 Causes eye irritation H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

## **Precautionary statements:**

P261 Avoid breathing mist/vapours/spray.
P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

P285 In case of inadequate ventilation wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

Date 2/18/2022 Production Name MAPEPROOF LIQUID MEMBRANE PART B Page n. 1 of 9

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy P305+P351+P338 to do. Continue rinsing. P312 Call a doctor if you feel unwell. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. P337+P313 If experiencing respiratory symptoms: Call a doctor. P342+P311 P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Dispose of contents/container in accordance with applicable regulations.

# Ingredient(s) with unknown acute toxicity:

None

# Hazards not otherwise classified identified during the classification process:

None

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

P501

Not Relevant

#### **Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
50-75 %	POLY(OXYPROPYLENE)GLYCOL, METHYLENEDIPHENYL DIISOCYANATE COPOLYMER	CAS:39420-98-9 EC:643-036-8	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Resp. Sens. 1, H334; Skin Sens. 1, H317; Carc. 2, H351; STOT SE 3, H335; STOT RE 2, H373	
25-50 %	4,4'-METHYLENEDIPHENYL DIISOCYANATE	CAS:101-68-8 EC:202-966-0 Index:615-005- 00-9	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; STOT RE 2, H373; Carc. 2, H351; Resp. Sens. 1, H334; Skin Sens. 1, H317	
10-20 %	DIPHENYLMETHANE-2,4- DIISOCYANATE	CAS:5873-54-1 EC:227-534-9 Index:615-005- 00-9	Eye Irrit. 2A, H319; Skin Irrit. 2, H315; STOT SE 3, H335; Resp. Sens. 1, H334; Acute Tox. 4, H332; STOT RE 2, H373; Skin Sens. 1, H317	
2.5-5 %	4,4'-METHYLENEDIPHENYL DIISOCYANATE, OLIGOMERS	CAS:25686-28-6 EC:500-040-3	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Resp. Sens. 1, H334; Skin Sens. 1, H317; Carc. 2, H351; STOT SE 3, H335; STOT RE 2, H373	

# 4. FIRST AID MEASURES

# **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Date 2/18/2022 Production Name MAPEPROOF LIQUID MEMBRANE PART B Page n. 2 of 9

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

# Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

## Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

#### **5. FIRE-FIGHTING MEASURES**

#### Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

#### Unsuitable extinguishing media:

None in particular.

# Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not available Oxidizing properties: Not available

## Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

 $\label{lem:contaminated} \mbox{ Contaminated clothing should be changed before entering eating areas.}$ 

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

# Conditions for safe storage, including any incompatibilities

Storage temperature: Not available

Always keep in a well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

Date 2/18/2022 Production Name MAPEPROOF LIQUID MEMBRANE PART B Page n. 3 of 9

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

# List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
4,4'- METHYLENEDIPHENYL DIISOCYANATE	ACGIH			<b></b>	0.005				respiratory sensitization (listed under Methylene bisphenyl isocyanate (MDI));
	OSHA		С			0.2	0.02		
	MAK	GERMANY		0.05					
	ACGIH				0.005				respiratory sensitization (listed under Methylene bisphenyl isocyanate (MDI))
	MAK	AUSTRIA		0.05	0.005	0.1	0.01		
DIPHENYLMETHANE-2,4- DIISOCYANATE	MAK	AUSTRIA		0.05	0.005	0.1	0.01		

Appropriate engineering controls: Not available

#### **Individual protection measures**

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

# Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

Use adequate protective respiratory equipment.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: light yellow

Odour: none

Odour threshold: No data available

pH: 8.00

Melting point / freezing point: No data available Initial boiling point and boiling range: 300  $^{\circ}$ C (572  $^{\circ}$ F)

Flash point: 100 °C (212 °F) Evaporation rate: No data available

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available Vapour pressure: No data available Relative density: 1.11 g/cm3 Solubility in water: No data available Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Date 2/18/2022 Production Name MAPEPROOF LIQUID MEMBRANE PART B Page n. 4 of 9

Oxidizing properties: No data available Solid/gas flammability: No data available

#### Other information

Substance Groups relevant properties No data available

Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

#### 10. STABILITY AND REACTIVITY

#### Reactivity

Stable under normal conditions

## **Chemical stability**

Data not available.

#### Possibility of hazardous reactions

None.

#### **Conditions to avoid**

Stable under normal conditions.

# **Incompatible materials**

None in particular.

#### Hazardous decomposition products

None.

## 11. TOXICOLOGICAL INFORMATION

# Information on toxicological effects

# Toxicological information on main components of the mixture:

**METHYLENEDIPHENYL DIISOCYANATE** 

a) acute toxicity

LC50 Inhalation Rat = 369 mg/m3 4h

LD50 Oral Rat = 31600 mg/kg

# Substance(s) listed on the IARC Monographs:

4,4'-METHYLENEDIPHENYL Group 3 DIISOCYANATE

# Substance(s) listed as OSHA Carcinogen(s):

# Substance(s) listed as NIOSH Carcinogen(s):

None

#### Substance(s) listed on the NTP report on Carcinogens:

None

## 12. ECOLOGICAL INFORMATION

## **Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

# Persistence and degradability

Not available

#### **Bioaccumulative potential**

Not available

# Mobility in soil

Not available

## Other adverse effects

Not available

# 13. DISPOSAL CONSIDERATIONS

# **Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

#### Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

### Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

#### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

#### 14. TRANSPORT INFORMATION

## **UN** number

ADR-UN number: NA3082 DOT-UN Number: NA3082 IATA-Un number: -

#### **UN proper shipping name**

ADR-Shipping Name: - (4,4'-METHYLENEDIPHENYL DIISOCYANATE)

DOT-Proper Shipping Name: Other regulated substances, liquid, n.o.s (4,4'-METHYLENEDIPHENYL DIISOCYANATE)

IATA-Technical name: - (4,4'-METHYLENEDIPHENYL DIISOCYANATE)
IMDG-Technical name: - (4,4'-METHYLENEDIPHENYL DIISOCYANATE)

## Transport hazard class(es)

ADR-Class: -

DOT-Hazard Class: 9

IATA-Class: -

IMDG-Class: -

### **Packing group**

ADR-Packing Group: DOT-Packing group: III
IATA-Packing group: IMDG-Packing group: -

## **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: Not available

DOT-RQ: Yes DOT-RQ - Quantity: 5000 lbs

# Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not available

## Special precautions

Department of Transportation (DOT):

DOT-Special Provision(s): A189, IB3, T2, TP1

DOT-Label(s): 9
DOT-Symbol: N/A
DOT-Cargo Aircraft: N/A
DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A
DOT-Non-Bulk: N/A
Road and Rail ( ADR-RID ) :

ADR-Label: -

ADR-Hazard identification number: -

Date 2/18/2022 Production Name MAPEPROOF LIQUID MEMBRANE PART B Page n. 6 of 9

ADR-Transport category (Tunnel restriction code): -

Air (IATA):

IATA-Passenger Aircraft: -

IATA-Cargo Aircraft: -

IATA-Label: -

IATA-Subsidiary hazards: -

IATA-Erg: -

IATA-Special Provisioning: -

Sea (IMDG):

IMDG-Stowage Code: -

IMDG-Stowage Note: -

IMDG-Subsidiary hazards: -

IMDG-Special Provisioning: -

IMDG-Page: N/A IMDG-Label: N/A IMDG-EMS: -

IMDG-MFAG: N/A

## 15. REGULATORY INFORMATION

#### **USA** - Federal regulations

#### **TSCA - Toxic Substances Control Act**

#### **TSCA** inventory:

All the components are listed on the TSCA inventory

#### **TSCA listed substances:**

POLY(OXYPROPYLENE)GLYCOL,

METHYLENEDIPHENYL

DIISOCYANATE COPOLYMER

4,4'-METHYLENEDIPHENYL

DIISOCYANATE

is listed in TSCA Section 8b Section 8a - PAIR

DIPHENYLMETHANE-2,4-

**DIISOCYANATE** 

is listed in TSCA Section 8b Section 8a - PAIR

4,4'-METHYLENEDIPHENYL DIISOCYANATE, OLIGOMERS

is listed in TSCA Section 8b

is listed in TSCA Section 8b

# SARA - Superfund Amendments and Reauthorization Act

# **Section 302 - Extremely Hazardous Substances:**

No substances listed

# Section 304 - Hazardous substances:

4,4'-METHYLENEDIPHENYL DIISOCYANATE

# Section 313 - Toxic chemical list:

4,4'-METHYLENEDIPHENYL DIISOCYANATE

# CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

4,4'-METHYLENEDIPHENYL DIISOCYANATE Reportable quantity: 5000 pounds

### CAA - Clean Air Act

## **CAA listed substances:**

4,4'-METHYLENEDIPHENYL is listed in CAA Section 112(b) - HAP Section 112(b) - HON

DIISOCYANATE

#### **CWA - Clean Water Act**

## **CWA listed substances:**

No substances listed

## **USA - State specific regulations**

Date 2/18/2022 Production Name MAPEPROOF LIQUID MEMBRANE PART B Page n. 7 of 9

## **California Proposition 65**

## Substance(s) listed under California Proposition 65:

No substances listed

## Massachusetts Right to know

# Substance(s) listed under Massachusetts Right to know:

4,4'-METHYLENEDIPHENYL DIISOCYANATE

#### Pennsylvania Right to know

## Substance(s) listed under Pennsylvania Right to know:

4,4'-METHYLENEDIPHENYL DIISOCYANATE

#### **New Jersey Right to know**

## Substance(s) listed under New Jersey Right to know:

4,4'-METHYLENEDIPHENYL DIISOCYANATE

#### Canada - Federal regulations

#### **DSL - Domestic Substances List**

**DSL Inventory:** 

All the substances are listed in the DSL.

#### **NDSL - Non Domestic Substances List**

**NDSL Inventory:** 

No substances listed

## **NPRI - National Pollutant Release Inventory**

Substances listed in NPRI:

No substances listed

#### 16. OTHER INFORMATION

Safety Data Sheet dated: 2/18/2022 - version 5

#### **Additional classification information**

NFPA Health: 1 = Slight

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: Not available



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

## Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

# Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 5. FIRE-FIGHTING MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION

Date 2/18/2022 Production Name MAPEPROOF LIQUID MEMBRANE PART B Page n. 9 of 9