# Safety Data Sheet POLYFLASH MPS (CLEAR)

Safety Data Sheet dated: 04/02/2024 - version 3

Date of first edition: 11/30/2023

# POLYGLASS MAPE

# 1: Identification

# **Product identifier**

Mixture identification:

Trade name: POLYFLASH MPS (CLEAR)

Trade code: 9075312

Recommended use and restrictions on use

Recommended use: Sealant Restrictions on use: Not available

Supplier's details

Company: Polyglass U.S.A. Inc.

1111 West Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 866-222-9782

Responsible: RDProductSafety@mapei.com

**Emergency phone number** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

#### 2. Hazard identification





# Classification of the product

Eye irritation, Category 2A Causes serious eye irritation.

Skin Sensitization, Category 1B May cause an allergic skin reaction.

Specific target organ toxicity following repeated exposure, May cause damage to organs through prolonged or repeated exposure

if inhaled, in contact with skin and if swallowed.

# Label elements

Category 2

# Hazard pictograms and Signal Word



Warning

#### **Hazard statements**

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and

if swallowed.

#### **Precautionary statements**

P260 Do not breathe dust or mist.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/clothing and eye/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P33 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

8 to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

#### Other hazards

Print date 04/02/2024 Production Name POLYFLASH MPS (CLEAR) Page n. 1 of 8

#### Ingredient(s) with unknown acute toxicity

None

# 3. Composition/information on ingredients

#### **Substances**

Not Relevant

#### **Mixtures**

Hazardous components within the meaning of WHMIS 2015 and related classification:

# List of components

Qty	Name	Ident. Numb.	Classification	Registration Number
2.5-5 %	n-[3- (trimethoxysilyl)propyl] ethylenediamine; (2- Aminoethyl)(3- (trimethoxysilyl)propyl)amine	CAS:1760-24-3 EC:217-164-6	Acute Tox. 4, H332; Eye Dam. 1, H318; STOT RE 2, H373; Skin Sens. 1B, H317	01-2119970215-39-XXXX
2.5-5 %	vinyltrimethoxysilane; Trimethoxyvinylsilane	CAS:2768-02-7 EC:220-449-8 Index:014-049- 00-0	Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Sens. 1B, H317	01-2119513215-52-XXXX

The actual concentration of the components listed above is withheld as a trade secret.

# 4. First-aid measures

#### **Description of necessary first-aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

Remove contact lenses, if present and easy to do. Continue rinsing.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

# Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

# Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

# 5. Fire-fighting measures

#### Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

# Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not Relevant

Print date 04/02/2024 Production Name POLYFLASH MPS (CLEAR) Page n. 2 of 8

Oxidizing properties: Not Relevant

# Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

#### 7. Handling and storage

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

Wash skin thoroughly after handling.

See also section 8 for recommended protective equipment.

#### Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

#### 8. Exposure controls/personal protection

# Control parameters

# **Predicted No Effect Concentration (PNEC) values**

vinyltrimethoxysilane; Trimethoxyvinylsilane CAS: 2768-02-7 Exposure Route: Fresh Water; PNEC Limit: 0.34 mg/I

Exposure Route: Marine water; PNEC Limit: 0.034 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 1.24 mg/kg Exposure Route: Marine water sediments; PNEC Limit: 0.12 mg/kg

Exposure Route: Intermittent release; PNEC Limit: 3.4 mg/l

# **Derived No Effect Level (DNEL) values**

vinyltrimethoxysilane; Trimethoxyvinylsilane CAS: 2768-02-7 Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Industry: 0.69 mg/kg; Consumer: 0.3 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

Worker Industry: 4.9 mg/m3; Consumer: 1.04 mg/m3

#### Appropriate engineering controls

Not available

#### Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Print date 04/02/2024 Production Name POLYFLASH MPS (CLEAR) Page n. 3 of 8

#### Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

# Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

# 9. Physical and chemical properties

# Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: paste clear

Odour: Not Relevant

Odour threshold: Not Relevant

pH: Not Relevant

Melting point / freezing point: Not Relevant
Initial boiling point and boiling range: Not Relevant

Flash point: 100 °C (212 °F) Evaporation rate: Not Relevant

Upper/lower flammability or explosive limits: Not Relevant

Vapour density: Not Relevant Vapour pressure: Not Relevant Relative density: Not Relevant Solubility in water: Not Relevant Solubility in oil: Not Relevant

Partition coefficient (n-octanol/water): Not Relevant

Auto-ignition temperature: Not Relevant Decomposition temperature: Not Relevant

Viscosity: Not Relevant

Explosive properties: Not Relevant Oxidizing properties: Not Relevant Solid/gas flammability: Not Relevant

# Other information

Substance Groups relevant properties Not Relevant

Miscibility: Not Relevant Fat Solubility: Not Relevant Conductivity: No data available

# 10. Stability and reactivity

# Reactivity

Stable under normal conditions

# **Chemical stability**

Data not available.

# Possibility of hazardous reactions

None.

# **Conditions to avoid**

Stable under normal conditions.

# **Incompatible materials**

None in particular.

# **Hazardous decomposition products**

None.

# 11. Toxicological information

# Information on toxicological effects

Likely routes of exposure:

Skin contact, skin absorption, eye contact, inhalation and ingestion.

# **Toxicological Information of the Preparation**

Print date 04/02/2024 Production Name POLYFLASH MPS (CLEAR) Page n. 4 of 8

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation Not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation The product is classified: Eye irritation, Category 2A(H319)

d) respiratory or skin sensitisation The product is classified: Skin Sensitization, Category 1B(H317)

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

Not classified f) carcinogenicity

Based on available data, the classification criteria are not met

Not classified g) reproductive toxicity

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

The product is classified: Specific target organ toxicity following repeated exposure, i) STOT-repeated exposure

LD50 Oral Rat = 2413 mg/kg

LD50 Skin Rat = 3158 mg/kg

Category 2(H373)

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

# Toxicological information on main components of the mixture: a) acute toxicity

(trimethoxysilyl)propyl] ethylenediamine; (2-

Aminoethyl)(3-(trimethoxysilyl)propyl)

amine

a) acute toxicity LD50 Oral Rat = 6899 mg/kg

vinvltrimethoxysilane: Trimethoxyvinylsilane

LC50 Inhalation Vapour Rat = 16.8 mg/l 4h

# Substance(s) listed on the IARC Monographs:

None

# Substance(s) listed as OSHA Carcinogen(s):

None

# Substance(s) listed as NIOSH Carcinogen(s):

# Substance(s) listed on the NTP report on Carcinogens:

None

# 12. Ecological information

#### **Ecotoxicity**

Adopt good working practices, so that the product is not released into the environment.

# List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

# Persistence and degradability

N.A.

# **Bioaccumulative potential**

NΑ

# Mobility in soil

N.A.

# Other adverse effects

Print date 04/02/2024 **Production Name** POLYFLASH MPS (CLEAR) 5 of 8 Page n.

# 13. Disposal considerations

# Safe handling and methods for disposal

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

#### Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

#### Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

# Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

#### 14. Transport information

Not classified as dangerous in the meaning of transport regulations.

#### **UN number**

TDG-UN number: Not Applicable ADR-UN number: Not Applicable DOT-UN Number: Not Applicable IATA-Un number: Not Applicable IMDG-Un number: Not Applicable

#### **UN proper shipping name**

TDG-Shipping Name: Not Applicable
ADR-Shipping Name: Not Applicable
DOT-Proper Shipping Name: Not Applicable
IATA-Technical name: Not Applicable
IMDG-Technical name: Not Applicable

#### Transport hazard class(es)

TDG-Class: Not Applicable
ADR-Class: Not Applicable
DOT-Hazard Class: Not Applicable
IATA-Class: Not Applicable
IMDG-Class: Not Applicable

# **Packing group**

TDG-Packing Group: Not Applicable ADR-Packing Group: Not Applicable DOT Packing Group: Not Applicable IATA-Packing group: Not Applicable IMDG-Packing group: Not Applicable

# **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: Not Applicable

DOT-RQ: No

#### Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

Not Applicable

# Special precautions in connection with transport or conveyance

TDG:

Not Applicable

Department of Transportation (DOT):

Not Applicable

Road and Rail ( ADR-RID ) :

Not Applicable

Air ( IATA ) :

Print date 04/02/2024 Production Name POLYFLASH MPS (CLEAR) Page n. 6 of 8

# 15. Regulatory information

#### Canada - Federal regulations

#### **DSL - Domestic Substances List**

All the substances are listed in the DSL.

#### **NDSL - Non Domestic Substances List**

#### **NPRI - National Pollutant Release Inventory**

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

# **USA - Federal regulations**

# **TSCA - Toxic Substances Control Act**

All the components are listed on the TSCA inventory

#### **TSCA listed substances:**

n-[3- is listed in TSCA Section 8b

(trimethoxysilyl)propyl] ethylenediamine; (2-Aminoethyl)(3-

(trimethoxysilyl)propyl)amine

vinyltrimethoxysilane; is listed in TSCA Section 8b

Trimethoxyvinylsilane

# **SARA - Superfund Amendments and Reauthorization Act**

#### **Section 302 - Extremely Hazardous Substances:**

No substances listed

#### Section 304 - Hazardous substances:

No substances listed

# Section 313 - Toxic chemical list:

No substances listed

# **CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act**

# Substance(s) listed under CERCLA:

No substances listed

#### CAA - Clean Air Act

# **CAA listed substances:**

No substances listed

# **CWA - Clean Water Act**

# **CWA listed substances:**

No substances listed

# **USA - State specific regulations**

# **California Proposition 65**

# **Substance(s) listed under California Proposition 65:**

No substances listed

# Massachusetts Right to know

# Substance(s) listed under Massachusetts Right to know:

No substances listed

#### Pennsylvania Right to know

#### Substance(s) listed under Pennsylvania Right to know:

No substances listed

# New Jersey Right to know

# Substance(s) listed under New Jersey Right to know:

No substances listed

# 16. Other information

Safety Data Sheet dated: 4/2/2024 - version 3

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability

Print date 04/02/2024 Production Name POLYFLASH MPS (CLEAR) Page n. 7 of 8

for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description		
H226	Flammable liquid and vapour.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H332	Harmful if inhaled.		
H373	May cause damage to organs through prolonged or repeated exposure.		
Code	Hazard class and hazard category	Description	
<b>Code</b> A.1/4/Inhal	Hazard class and hazard category Acute Tox. 4	<b>Description</b> Acute toxicity (inhalation), Category 4	
	<i>,</i>	•	
A.1/4/Inhal	Acute Tox. 4	Acute toxicity (inhalation), Category 4	
A.1/4/Inhal A.3/1	Acute Tox. 4 Eye Dam. 1	Acute toxicity (inhalation), Category 4 Serious eye damage, Category 1	

Flammable Liquids — Category 3

#### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

Flam. Liq. 3

B.6/3

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

 ${\sf GefStoffVO:}\ \ {\sf Ordinance}\ \ {\sf on}\ \ {\sf Hazardous}\ \ {\sf Substances},\ {\sf Germany}.$ 

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
WGK: German Water Hazard Class.

KSt: Explosion coefficient.

#### Paragraphs modified from the previous revision:

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 16. OTHER INFORMATION

Print date 04/02/2024 Production Name POLYFLASH MPS (CLEAR) Page n. 8 of 8