# Safety Data Sheet PRIMER EP-1010 /B

Safety Data Sheet dated: 12/18/2023 - version 1

Date of first edition: 12/18/2023



### 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: PRIMER EP-1010 /B

Trade code: 9001822

Recommended use of the chemical and restrictions on use

Recommended use: Primer Restrictions on use: Not available

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: Polyglass U.S.A. Inc.

1111 West Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 866-222-9782

Responsible: RDProductSafety@mapei.com

**Emergency 24 hour numbers:** 

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION







### Classification of the chemical

Acute toxicity (oral), Category 4 Harmful if swallowed.

Skin corrosion, Category 1B Causes severe skin burns and eye damage.

Serious eye damage, Category 1 Causes serious eye damage.

Skin Sensitization, Category 1A May cause an allergic skin reaction.

Specific target organ toxicity following repeated exposure, May cause damage to organs through prolonged or repeated

Category 2 exposure.

Chronic (long term) aquatic hazard, category 3 Harmful to aquatic life with long lasting effects.

### **Label elements**

# **Hazard pictograms and Signal Word**





### **Hazard statements**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P260 Do not breathe mist/vapours/spray.
P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER if you feel unwell.

Print date 04/24/2024 Production Name PRIMER EP-1010 /B Page n. 1 of 11

P301+P330+P33 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

1

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P35 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

3

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P33 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a POISON CENTER.

P314 Get medical advice/attention if you feel unwell.

P321 Specific treatment (see supplementary instructions on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

### Ingredient(s) with unknown acute toxicity:

None

### Hazards not otherwise classified identified during the classification process:

None

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

Not Relevant

### **Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

### List of components

Qty	Name	Ident. Numb.	Classification	<b>Registration Number</b>
25-50 %	benzyl alcohol; benzenemethanol	CAS:100-51-6 EC:202-859-9 Index:603-057- 00-5	Acute Tox. 4, H332; Acute Tox. 4, H302; Eye Irrit. 2A, H319	01-2119492630-38-XXXX
25-50 %	copolymer of benzenamine and formaldehyde, hydrogenated; polymeric cycloaliphatic amines	CAS:135108-88- 2 EC:603-894-6	Acute Tox. 3, H301; Eye Dam. 1, H318; STOT RE 2, H373; Skin Corr. 1C, H314; Skin Sens. 1, H317; Aquatic Chronic 3, H412	01-2119983522-33
5-10 %	N,N'-BIS(3- AMINOPROPYL)ETHYLENEDIAMINE		Acute Tox. 4, H302; Acute Tox. 3, H311; Skin Corr. 1B, H314; Skin Sens. 1A, H317	01-2119976331-37
5-10 %	2,4,6- tri(dimethylaminomethyl)phenol; Mesitol, alpha2,alpha4,alpha6- tris(dimethylamino)-	CAS:90-72-2 EC:202-013-9 Index:603-069- 00-0	Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H302	01-2119560597-27-XXXX
0.49-1 %	N-(2-AMINOETHYL)-1,3- PROPANEDIAMINE	CAS:13531-52-7 EC:236-882-0	Acute Tox. 4, H302; Skin Corr. 1A, H314; Skin Sens. 1A, H317; Acute Tox. 2, H310	

# 4. FIRST AID MEASURES

# **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist

Print date 04/24/2024 Production Name PRIMER EP-1010 /B Page n. 2 of 11

immediately.

Protect uninjured eye.

In case of Ingestion:

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Ervthema

### Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

### 5. FIRE-FIGHTING MEASURES

#### **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

### Unsuitable extinguishing media:

None in particular.

### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not available Oxidizing properties: Not available

### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

# Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

Print date 04/24/2024 Production Name PRIMER EP-1010 /B Page n. 3 of 11

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

### **Community Occupational Exposure Limits (OEL)**

OEL Type
MAK GERMANY Long Term: 22 mg/m3 - 5 ppm

benzyl alcohol; benzenemethanol CAS: 100-51-6

MAK SWITZERLAN Long Term: 22 mg/m3 - 5 ppm

D

### Predicted No Effect Concentration (PNEC) values

benzyl alcohol; benzenemethanol CAS: 100-51-6 Exposure Route: Fresh Water; PNEC Limit: 1 mg/l

Exposure Route: Marine water; PNEC Limit: 0.1 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 5.27 mg/kg Exposure Route: Marine water sediments; PNEC Limit: 0.527 mg/kg

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 39 mg/l

Exposure Route: Soil; PNEC Limit: 0.45 mg/kg

Exposure Route: Intermittent release; PNEC Limit: 2.3 mg/l

Exposure Route: Marine water sediments; PNEC Limit: 1.5 mg/kg

copolymer of benzenamine and formaldehyde,

hydrogenated; polymeric cycloaliphatic amines CAS: 135108-88-2

Exposure Route: Soil; PNEC Limit: 1.8 mg/kg

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 1.9 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 15 mg/kg

Exposure Route: Fresh Water; PNEC Limit: 0.015 mg/l Exposure Route: Marine water; PNEC Limit: 0.002 mg/l

### **Derived No Effect Level (DNEL) values**

benzyl alcohol; benzenemethanol CAS: 100-51-6 Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects

Consumer: 20 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects

Consumer: 4 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, systemic effects

Worker Industry: 110 mg/m3; Consumer: 27 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

Worker Industry: 22 mg/m3; Consumer: 5.4 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Short Term, systemic effects

Worker Industry: 40 mg/kg; Consumer: 20 mg/kg

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Industry: 8 mg/kg; Consumer: 4 mg/kg

copolymer of benzenamine and formaldehyde, hydrogenated: polyme

hydrogenated; polymeric cycloaliphatic amines CAS: 135108-88-2

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Industry: 2 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, systemic effects

Worker Industry: 2 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

Worker Industry: 0.2 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Short Term, systemic effects

Worker Industry: 6 mg/kg

Print date 04/24/2024 Production Name PRIMER EP-1010 /B Page n. 4 of 11

2,4,6- Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

tri(dimethylaminomethyl) Worker Industry: 0.31 mg/m3

phenol; Mesitol, alpha2,alpha4,alpha6tris(dimethylamino)-CAS: 90-72-2

Appropriate engineering controls: Not available

#### **Individual protection measures**

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: liquid light yellow

Odour: ammonia

Odour threshold: No data available

pH: No data available

Melting point / freezing point: No data available

Initial boiling point and boiling range: No data available

Flash point: 100 °C (212 °F) Evaporation rate: No data available

Upper/lower flammability or explosive limits: No data available

Vapour density: No data available Vapour pressure: No data available Relative density: 1,00 g/cm3 Solubility in water: insoluble Solubility in oil: No data available

Partition coefficient (n-octanol/water): No data available

Auto-ignition temperature: No data available Decomposition temperature: No data available

Viscosity: 250,00 cPs

Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

### Other information

Substance Groups relevant properties No data available

Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

# 10. STABILITY AND REACTIVITY

# Reactivity

Stable under normal conditions

### **Chemical stability**

Data not available.

### Possibility of hazardous reactions

None.

Print date 04/24/2024 Production Name PRIMER EP-1010 /B Page n. 5 of 11

### **Conditions to avoid**

Stable under normal conditions.

#### **Incompatible materials**

None in particular.

### Hazardous decomposition products

None.

### 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

# **Toxicological Information of the Preparation**

a) acute toxicity The product is classified: Acute toxicity (oral), Category 4(H302)

ATEmix - Oral: 545.848 mg/kg bw

b) skin corrosion/irritation
 c) serious eye damage/irritation
 d) respiratory or skin sensitisation
 The product is classified: Serious eye damage, Category 1(H318)
 The product is classified: Skin Sensitization, Category 1A(H317)

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure The product is classified: Specific target organ toxicity following repeated exposure,

Category 2(H373)

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

### Toxicological information on main components of the mixture:

benzyl alcohol; a) acute toxicity L

benzenemethanol

LC50 Inhalation Mist Rat = 11 mg/l 4h

LD50 Oral Rat = 1230 mg/kg

g) reproductive toxicity NOAEL Rat = 1072 mg/m3

copolymer of benzenamine and

formaldehyde, hydrogenated; polymeric cycloaliphatic amines a) acute toxicity

LD50 Oral Rat = 300 mg/kg

LD50 Skin Rabbit > 2000 mg/kg

i) STOT-repeated

exposure

No Observed Adverse Effect Level Oral Rat = 15

mg/kg

N,N'-BIS(3-

AMINOPROPYL) ETHYLENEDIAMINE a) acute toxicity

LD50 Oral Rat = 1200 mg/kg

LD50 Skin Rabbit = 300 mg/kg LD50 Oral Rat = 1200 mg/kg

2,4,6- a) acute toxicity

tri(dimethylaminomethyl) phenol; Mesitol, alpha2,alpha4,alpha6tris(dimethylamino)- LD50 Oral Rat = 2169 mg/kg

LD50 Skin Rat > 1 ml/kg

N-(2-AMINOETHYL)-1,3- a) acute toxicity LD50 Skin Rabbit = 184 mg/kg

Print date 04/24/2024 Production Name PRIMER EP-1010 /B Page n. 6 of 11

Substance(s) listed on the IARC Monographs:

None

Substance(s) listed as OSHA Carcinogen(s):

None

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

None

### 12. ECOLOGICAL INFORMATION

### **Toxicity**

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

# List of Eco-Toxicological properties of the product

The product is classified: Chronic (long term) aquatic hazard, category 3(H412)

# List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
benzyl alcohol; benzenemethanol	CAS: 100-51-6 - EINECS: 202- 859-9 - INDEX: 603-057-00-5	a) Aquatic acute toxicity: EC50 Daphnia = 230 mg/L 48
		a) Aquatic acute toxicity: LC50 Fish = 770 mg/L 1
		a) Aquatic acute toxicity: EC50 Algae = 770 mg/L 72
		a) Aquatic acute toxicity: LC50 Fish = 460 mg/L 96
		a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = $460 \text{ mg/L} 96\text{h}$ EPA
copolymer of benzenamine and formaldehyde, hydrogenated; polymeric cycloaliphatic amines	CAS: 135108- 88-2 - EINECS: 603-894-6	a) Aquatic acute toxicity: LC50 Fish Poecilia reticulata = 63 mg/L 96h ECHA
		a) Aquatic acute toxicity: EC50 Daphnia = 15.4 mg/L 48h
		a) Aquatic acute toxicity: EC50 Algae = 43.94 mg/L 72h
2,4,6- tri(dimethylaminomethyl)phenol; Mesitol, alpha2,alpha4,alpha6- tris(dimethylamino)-	CAS: 90-72-2 - EINECS: 202- 013-9 - INDEX: 603-069-00-0	a) Aquatic acute toxicity: LC50 Fish = 175 mg/L 96h
		a) Aquatic acute toxicity: EC50 Algae = 46.7 mg/L 72h
		a) Aquatic acute toxicity: NOEC Algae = 25.1 mg/L 72h
N-(2-AMINOETHYL)-1,3- PROPANEDIAMINE	CAS: 13531-52- 7 - EINECS: 236-882-0	a) Aquatic acute toxicity: EC50 Daphnia = 25.93 mg/L 48h

### Persistence and degradability

# Component Persitence/Degradability:

copolymer of benzenamine and formaldehyde, hydrogenated; polymeric cycloaliphatic amines

Non-readily biodegradable

**Bioaccumulative potential** 

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

Print date 04/24/2024 Production Name PRIMER EP-1010 /B Page n. 7 of 11

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

#### Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

# Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

#### **UN** number

DOT-UN Number: UN2735 ADR-UN number: 2735 IATA-Un number: 2735 IMDG-Un number: 2735

### UN proper shipping name

DOT-Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (cycloaliphatic amines) ADR-Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (cycloaliphatic amines) IATA-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. (cycloaliphatic amines) IMDG-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. (cycloaliphatic amines)

### Transport hazard class(es)

DOT-Hazard Class: 8

ADR-Class: 8
IATA-Class: 8
IMDG-Class: 8

### Packing group

DOT Packing Group: II ADR-Packing Group: II IATA-Packing group: II IMDG-Packing group: II

# **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: Not Applicable

DOT-RQ: Not Applicable

### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

# Special precautions

Department of Transportation (DOT):

DOT-Special Provision(s): B2, IB2, T11, TP1, TP27

DOT-Label(s): 8

DOT-Symbol: N/A

DOT-Cargo Aircraft: N/A

DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A
DOT-Non-Bulk: N/A
Road and Rail ( ADR-RID ) :
ADR exempt: No

ADR-Label: 8

Print date 04/24/2024 Production Name PRIMER EP-1010 /B Page n. 8 of 11

ADR-Hazard identification number: 80

ADR-Transport category (Tunnel restriction code): 2 (E)

Air (IATA):

IATA-Passenger Aircraft: 851 IATA-Cargo Aircraft: 855

IATA-Label: 8

IATA-Subsidiary hazards: -

IATA-Erg: 8L

IATA-Special Provisioning: A3 A803

Sea ( IMDG ):

IMDG-Stowage Code: Category A IMDG-Stowage Note: SG35 SGG18 IMDG-Subsidiary hazards: -

IMDG-Special Provisioning: 274

IMDG-EMS: F-A, S-B

#### 15. REGULATORY INFORMATION

### **USA - Federal regulations**

### **TSCA - Toxic Substances Control Act**

All the components are listed on the TSCA inventory

### **TSCA listed substances:**

benzyl alcohol; benzenemethanol is listed in TSCA Section 8b copolymer of benzenamine and formaldehyde, hydrogenated; polymeric cycloaliphatic amines

N,N'-BIS(3- is listed in TSCA Section 8b

AMINOPROPYL)ETHYLENEDIAMINE

2,4,6- is listed in TSCA Section 8b

tri(dimethylaminomethyl)phenol; Mesitol, alpha2,alpha4,alpha6-

tris(dimethylamino)-

N-(2-AMINOETHYL)-1,3- is listed in TSCA Section 8b PROPANEDIAMINE

# **SARA - Superfund Amendments and Reauthorization Act**

### Section 302 - Extremely Hazardous Substances:

No substances listed

### Section 304 - Hazardous substances:

No substances listed

### Section 313 - Toxic chemical list:

No substances listed

# CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA:

No substances listed

# CAA - Clean Air Act

# **CAA listed substances:**

benzyl alcohol; benzenemethanol is listed in CAA Section 112(b) - HON

# **CWA - Clean Water Act**

### **CWA listed substances:**

No substances listed

# **USA - State specific regulations**

# **California Proposition 65**

### Substance(s) listed under California Proposition 65:

No substances listed

# Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

Print date 04/24/2024 Production Name PRIMER EP-1010 /B Page n. 9 of 11

# Pennsylvania Right to know

### Substance(s) listed under Pennsylvania Right to know:

benzyl alcohol; benzenemethanol

# New Jersey Right to know

### Substance(s) listed under New Jersey Right to know:

No substances listed

### Canada - Federal regulations

### **DSL - Domestic Substances List**

All the substances are listed in the DSL.

### **NDSL - Non Domestic Substances List**

This product complies with NDSL inventory

### **NPRI - National Pollutant Release Inventory**

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

### **16. OTHER INFORMATION**

Safety Data Sheet dated: 12/18/2023 - version 1

### **Additional classification information**

NFPA Health: 0 = Minimal

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: NONE



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H310	Fatal in contact with skin.		
H311	Toxic in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H373	May cause damage to organs through prolonged or repeated exposure.		
H412	Harmful to aquatic life with long lasting effects.		
Code	Hazard class and hazard category Description		

Code	Hazard class and hazard category	Description
A.1/2/Dermal	Acute Tox. 2	Acute toxicity (dermal), Category 2
A.1/3/Dermal	Acute Tox. 3	Acute toxicity (dermal), Category 3
A.1/3/Oral	Acute Tox. 3	Acute toxicity (oral), Category 3
A.1/4/Inhal	Acute Tox. 4	Acute toxicity (inhalation), Category 4
A.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
A.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A
A.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B
A.2/1C	Skin Corr. 1C	Skin corrosion, Category 1C
A.3/1	Eye Dam. 1	Serious eye damage, Category 1
A.3/2A	Eye Irrit. 2A	Eye irritation, Category 2A
A.4.2/1	Skin Sens. 1	Skin Sensitization, Category 1
A.4.2/1A	Skin Sens. 1A	Skin Sensitization, Category 1A

Print date 04/24/2024 Production Name PRIMER EP-1010 /B Page n. 10of 11

STOT RE 2 Specific target organ toxicity following repeated exposure, Category 2

US-HAE/C3 Aquatic Chronic 3 Chronic (long term) aquatic hazard, category 3

### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

A.9/2

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Print date 04/24/2024 Production Name PRIMER EP-1010 /B Page n. 11of 11