Safety Data Sheet TECNOCOAT P2049 /B

Safety Data Sheet dated: 10/12/2023 - version 1 Date of first edition: 10/12/2023



1. IDENTIFICATION

Product identifier Mixture identification: Trade name: TECNOCOAT P2049 /B Trade code: 904TF9990 Recommended use of the chemical and restrictions on use Recommended use: Poliureic membrane Restrictions on use: Data not available. Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party Company: Polyglass U.S.A. Inc. 1111 West Newport Center Drive - 33442 - Deerfield Beach - FL - USA Phone: 866-222-9782 Responsible: RDProductSafety@mapei.com Emergency 24 hour numbers: Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. HAZARD(S) IDENTIFICATION



Acute toxicity (oral), Category 4	Harmful if swallowed.
Acute toxicity (dermal), Category 4	Harmful in contact with skin.
Skin corrosion, Category 1B	Causes severe skin burns and eye damage.
Serious eye damage, Category 1	Causes serious eye damage.
Carcinogenicity, Category 2	Suspected of causing cancer.
Specific target organ toxicity following repeated exposure, Category 2	May cause damage to organs through prolonged or repeated exposure.
Acute aquatic hazard, category 2	Toxic to aquatic life
Chronic (long term) aquatic hazard, category 2	Toxic to aquatic life with long lasting effects.

Label elements

Hazard pictograms and Signal Word



Hazard statements

H302	Harmful if swallowed.			
H312	Harmful in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H318	Causes serious eye damage.			
H351	Suspected of causing cancer.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H401	Toxic to aquatic life			
H411	Toxic to aquatic life with long lasting effects.			
Precautionary statements				
P201	Obtain special instructions before use.			

- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe mist/vapours/spray.

P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	IF SWALLOWED: Immediately call a POISON CENTER/doctor/ if you feel unwell.
P301+P330+P33 1	3 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water/
P303+P361+P3 3	5 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33 8	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER.
P314	Get medical advice/attention if you feel unwell.
P321	Specific treatment (see supplementary instructions on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container in accordance with applicable regulations.
Ingredient(s)	with unknown acute toxicity:
None	

Hazards not otherwise classified identified during the classification process:

None

This product contains titanium dioxide which IARC has classified as a Group 2B carcinogen (possibly carcinogenic to humans). Evidence is based on sufficient animal testing as a result of long-term inhalation at high concentrations of respirable amounts of titanium dioxide. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a dust hazard)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not Relevant

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

Qty	Name	Ident. Numb.	Classification	Registration Number
50-75 %	polyoxypropylenediamine	CAS:9046-10-0 EC:618-561-0	Acute Tox. 4, H312; Acute Tox. 4, H302; Skin Corr. 1B, H314; Aquatic Chronic 3, H412	
20-25 %	diethyltoluenediamine; Diethylmethylbenzenediamine	CAS:68479-98-1 EC:270-877-4 Index:612-130- 00-0	STOT RE 2, H373; Eye Irrit. 2A, H319; Acute Tox. 4, H302; Acute Tox. 4, H312; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	01-2119486805-25-XXXX
5-10 %	titanium dioxide; Dioxotitanium	CAS:13463-67-7 EC:236-675-5 Index:022-006- 00-2	Carc. 2, H351	01-2119489379-17-XXXX
0.1-0.25 %	carbon black; acetylene black	CAS:1333-86-4 EC:215-609-9	Comb. Dust, USH003	01-2119384822-32

4. FIRST AID MEASURES

Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing. OBTAIN IMMEDIATE MEDICAL ATTENTION. Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

(see paragraph 4.1)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not available

Oxidizing properties: Not available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand Retain contaminated washing water and dispose it.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters

Community Occupational Exposure Limits (OEL)

community occupation	ai Exposui		-)
	OEL Type	Country	Occupational Exposure Limit
titanium dioxide; Dioxotitanium CAS: 13463-67-7	ACGIH		Long Term: 10 mg/m3 A4 - LRT irr
	МАК	GERMANY	Long Term: 0.3 mg/m3
	OSHA	02.000	Long Term: 15 mg/m3
	ACGIH		Long Term: 10 mg/m3 A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation
	MAK	AUSTRIA	Long Term: 5 mg/m3; Short Term: 10 mg/m3
	MAK	SWITZERLAN D	N Long Term: 3 mg/m3
carbon black; acetylene b CAS: 1333-86-4	lack OSHA		Long Term: 3.5 mg/m3
	ACGIH		Long Term: 3 mg/m3 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans;bronchitis;
	ACGIH		Long Term: 3 mg/m3 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans;bronchitis
Predicted No Effect Con	centration	(PNEC) valu	es
diethyltoluenediamine; Diethylmethylbenzenedia mine CAS: 68479-98-1	Exposure R	loute: Fresh W	/ater; PNEC Limit: 0.001 mg/l
	Exposure R	oute: Intermit	ttent release; PNEC Limit: 0.005 mg/l
	•		ganisms in sewage treatments; PNEC Limit: 17 mg/l
			ater sediments; PNEC Limit: 0.029 mg/kg
	•		water sediments; PNEC Limit: 0.003 mg/kg
			IEC Limit: 0.0056 mg/kg
			VEC Limit: 2 mg/kg
titanium dioxide; Dioxotitanium CAS: 13463-67-7			/ater; PNEC Limit: 0.184 mg/l
	Exposure R	oute: Soil; PN	IEC Limit: 100 mg/kg
			ganisms in sewage treatments; PNEC Limit: 100 mg/l
	Exposure R	oute: Marine	water; PNEC Limit: 0.0184 mg/l
	Exposure R	oute: Marine	water sediments; PNEC Limit: 100 mg/kg
	Exposure R	oute: Freshwa	ater sediments; PNEC Limit: 1000 mg/kg
	Exposure R	oute: Intermit	ttent release; PNEC Limit: 0.193 mg/l
Derived No Effect Level	(DNEL) va	lues	
diethyltoluenediamine;	Exposure R	oute: Human	Inhalation; Exposure Frequency: Long Term, systemic effects g/m3; Consumer: 0.1 mg/m3
			Dermal; Exposure Frequency: Long Term, systemic effects g; Consumer: 1 mg/kg
	•	oute: Human 0.1 mg/kg	Oral; Exposure Frequency: Long Term, systemic effects

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects Consumer: 700 mg/kg

Appropriate engineering controls: Not available

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment. Use adequate protective respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Liquid Appearance and colour: liquid various Odour: characteristic Odour threshold: No data available pH: Not Relevant Melting point / freezing point: No data available Initial boiling point and boiling range: No data available Flash point: 100 °C (212 °F) Evaporation rate: No data available Upper/lower flammability or explosive limits: No data available Vapour density: No data available Vapour pressure: No data available Relative density: 1,09 g/cm3 Solubility in water: No data available Solubility in oil: No data available Partition coefficient (n-octanol/water): No data available Auto-ignition temperature: No data available Decomposition temperature: No data available Viscosity: 1.000,00 cPs Explosive properties: No data available Oxidizing properties: No data available Solid/gas flammability: No data available

Other information

Substance Groups relevant properties No data available Miscibility: No data available Fat Solubility: No data available Conductivity: No data available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions None.

.....

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological Information of the Preparation

a) acute toxicity		The product is classified: Acute toxicity (oral), Category 4(H302), Acute toxicity (dermal), Category 4(H312)
		ATEmix - Oral: 585.708 mg/kg bw
		ATEmix - Dermal : 1230.22 mg/kg bw
b) skin corrosion/i	rritation	The product is classified: Skin corrosion, Category 1B(H314)
c) serious eye dan	nage/irritation	The product is classified: Serious eye damage, Category 1(H318)
d) respiratory or s	kin sensitisation	Not classified
		Based on available data, the classification criteria are not met
e) germ cell mutag	genicity	Not classified
		Based on available data, the classification criteria are not met
f) carcinogenicity		The product is classified: Carcinogenicity, Category 2(H351)
g) reproductive to:	xicity	Not classified
		Based on available data, the classification criteria are not met
h) STOT-single ex	oosure	Not classified
		Based on available data, the classification criteria are not met
i) STOT-repeated	exposure	The product is classified: Specific target organ toxicity following repeated exposure, Category 2(H373)
j) aspiration hazar	d	Not classified

Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

polyoxypropylenediamine	a) acute toxicity	LD50 Oral Rat = 475 mg/kg LD50 Skin Rabbit = 2090 mg/kg
diethyltoluenediamine; Diethylmethylbenzenedia mine	a) acute toxicity	LD50 Oral Rat = 738 mg/kg
titanium dioxide; Dioxotitanium	a) acute toxicity	LD50 Oral Rat > 5000 mg/kg
		LD50 Skin Rat > 2000 mg/m3
		LC50 Inhalation Dust Rat > 6.82 mg/l 4h
		LD50 Skin Rabbit > 10000 mg/kg
carbon black; acetylene black	a) acute toxicity	LD50 Oral Rat > 8000 mg/kg
		LD50 Oral Rat > 15400 mg/kg

Substance(s) listed on the IARC Monographs:

titanium dioxide; Dioxotitanium	Group 2B
carbon black; acetylene black	Group 2B

Substance(s) listed as OSHA Carcinogen(s):

titanium dioxide; Dioxotitanium

carbon black; acetylene black

Substance(s) listed as NIOSH Carcinogen(s):

titanium dioxide; Dioxotitanium carbon black; acetylene black

Substance(s) listed on the NTP report on Carcinogens:

None

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

The product is classified: Acute aquatic hazard, category 2(H401), Chronic (long term) aquatic hazard, category 2(H411)

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox	Data		
diethyltoluenediamine; Diethylmethylbenzenediamine	CAS: 68479-98- 1 - EINECS: 270-877-4 - INDEX: 612- 130-00-0	a) Aqua	tic acute toxicity :	LC50 Fi	sh = 200 mg/L 48h
		a) Aqua	atic acute toxicity :	EC50 D	aphnia = 0.5 mg/L 48h
		a) Aqua	tic acute toxicity :	EC50 A	lgae = 104 mg/L 72h
titanium dioxide; Dioxotitanium	CAS: 13463-67- 7 - EINECS: 236-675-5 - INDEX: 022- 006-00-2	a) Aqua	tic acute toxicity :	LC50 Fi	sh > 100 mg/L 96
		a) Aqua	atic acute toxicity :	EC50 A	lgae = 16 mg/L 72
		a) Aqua	tic acute toxicity :	NOEC A	Algae = 5600 mg/L 72
		a) Aqua	atic acute toxicity :	EC50 D	aphnia > 100 mg/L 48
carbon black; acetylene black	CAS: 1333-86-4 - EINECS: 215- 609-9	a) Aqua	tic acute toxicity :	LC50 Fi	sh > 1000 mg/L 96
		a) Aqua	tic acute toxicity :	EC50 D	aphnia > 5600 mg/L 24
		a) Aqua	tic acute toxicity :	EC50 A	lgae > 10000 mg/L 72
Persistence and degradability					
Component	Persitence/De	gradabil	ity:		
diethyltoluenediamine; Diethylmethylbenzenediamine	Non-readily biod	egradabl	e		
Bioaccumulative potential					
Component	Bioaccumulatio	on	Test		Value
diethyltoluenediamine; Diethylmethylbenzenediamine	Not bioaccumula	itive	BCF - Bioconcenti factor	rantion	2.750
Mobility in soil					

N.A.

Other adverse effects

N.A.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. TRANSPORT INFORMATION

UN number

DOT-UN Number: UN2735 ADR-UN number: 2735 IATA-Un number: 2735 IMDG-Un number: 2735

UN proper shipping name

DOT-Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (polyoxypropylenediamine - diethylmethylbenzenediamine) ADR-Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (polyoxypropylenediamine - diethylmethylbenzenediamine) IATA-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. (polyoxypropylenediamine - diethylmethylbenzenediamine) IMDG-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. (polyoxypropylenediamine - diethylmethylbenzenediamine)

Transport hazard class(es)

DOT-Hazard Class: 8

ADR-Class: 8

IATA-Class: 8

IMDG-Class: 8

Packing group

DOT Packing Group: II

- ADR-Packing Group: II
- IATA-Packing group: II

IMDG-Packing group: II

Environmental hazards

Marine pollutant: Yes

Environmental Pollutant: Not Applicable DOT-RQ: Not Applicable

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

Special precautions

Department of Transportation (DOT): DOT-Special Provision(s): B2, IB2, T11, TP1, TP27

DOT-Label(s): 8

DOT-Symbol: N/A

DOT-Cargo Aircraft: N/A

DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A DOT-Non-Bulk: N/A

Road and Rail (ADR-RID) :

ADR-Label: 8

ADR-Hazard identification number: 80

ADR-Transport category (Tunnel restriction code): 2 (E)

Air (IATA):

IATA-Passenger Aircraft: 851 IATA-Cargo Aircraft: 855 IATA-Label: 8

IATA-Subsidiary hazards: -

IATA-Erg: 8L IATA-Special Provisioning: A3 A803 Sea (IMDG) : IMDG-Stowage Code: Category A IMDG-Stowage Note: SG35 IMDG-Subsidiary hazards: -IMDG-Special Provisioning: 274 IMDG-EMS: F-A, S-B **15. REGULATORY INFORMATION USA - Federal regulations TSCA - Toxic Substances Control Act** All the components are listed on the TSCA inventory TSCA listed substances: polyoxypropylenediamine is listed in TSCA Section 8b diethyltoluenediamine; is listed in TSCA Section 8b Section 12b Diethylmethylbenzenediamine titanium dioxide; Dioxotitanium is listed in TSCA Section 8b carbon black; acetylene black is listed in TSCA Section 8b SARA - Superfund Amendments and Reauthorization Act Section 302 - Extremely Hazardous Substances: No substances listed Section 304 - Hazardous substances: No substances listed Section 313 - Toxic chemical list: No substances listed CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA: No substances listed **CAA - Clean Air Act CAA listed substances:** No substances listed **CWA - Clean Water Act CWA listed substances:** No substances listed **USA - State specific regulations California Proposition 65** Substance(s) listed under California Proposition 65: titanium dioxide; Dioxotitanium Listed as carcinogen carbon black; acetylene black Listed as carcinogen Massachusetts Right to know Substance(s) listed under Massachusetts Right to know: titanium dioxide; Dioxotitanium carbon black; acetylene black Pennsylvania Right to know Substance(s) listed under Pennsylvania Right to know: titanium dioxide; Dioxotitanium carbon black; acetylene black New Jersey Right to know Substance(s) listed under New Jersey Right to know: titanium dioxide; Dioxotitanium carbon black; acetylene black **Canada - Federal regulations DSL - Domestic Substances List** Not compliant to DSL inventory Print date 09/02/2024 Production Name TECNOCOAT P2049 /B Page n. 9 of 11

NDSL - Non Domestic Substances List

Not compliant to NDSL inventory

NPRI - National Pollutant Release Inventory

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

16. OTHER INFORMATION

Safety Data Sheet dated: 10/12/2023 - version 1 Additional classification information

NFPA Health: 0 = Minimal NFPA Flammability: 1 = Combustible if heated NFPA Reactivity: 0 = Minimal NFPA Special Risk: NONE

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This SDS cancels and replaces any preceding release.

Code	Description		
H302	Harmful if swallowed.		
H312	Harmful in contact with skin.		
H314	Causes severe skin burns and eye damag	e.	
H319	Causes serious eye irritation.		
H351	Suspected of causing cancer.		
H373	May cause damage to organs through pro	longed or repeated exposure.	
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting	effects.	
H412	Harmful to aquatic life with long lasting effects.		
USH003	May form combustible dust concentrations in air.		
Code	Hazard class and hazard category	Description	
A.1/4/Dermal	Acute Tox. 4	Acute toxicity (dermal), Category 4	
A.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4	
A.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B	
A.3/2A	Eye Irrit. 2A	Eye irritation, Category 2A	
A.6/2	Carc. 2	Carcinogenicity, Category 2	
A.9/2	STOT RE 2	Specific target organ toxicity following repeated exposure, Category 2	
US-ADD/CD	Comb. Dust	Combustible dust	

00/100/00		
US-HAE/A1	Aquatic Acute 1	Acute aquatic hazard, category 1
US-HAE/C1	Aquatic Chronic 1	Chronic (long term) aquatic hazard, category 1
US-HAE/C3	Aquatic Chronic 3	Chronic (long term) aquatic hazard, category 3

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.



LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.