

## Safety Data Sheet

### POLYGLASS LRF CR PART A

Safety Data Sheet dated: 09/02/2021 - version 2

Date of first edition: 05/11/2021

## 1. IDENTIFICATION

### Product identifier

Mixture identification:

Trade name: POLYGLASS LRF CR PART A

Trade code: PLY0055

### Recommended use of the chemical and restrictions on use

Recommended use: Polyurethane-based adhesive

Restrictions on use: N.A.

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: Polyglass U.S.A. Inc.

1111 West Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 866-222-9782

Responsible: RDProductSafety@mapei.com

### Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

## 2. HAZARD(S) IDENTIFICATION



### Classification of the chemical

Compr. Gas	Contains gas under pressure; may explode if heated.
Skin Irrit. 2	Causes skin irritation.
Skin Sens. 1	May cause an allergic skin reaction.
Eye Irrit. 2A	Causes serious eye irritation.
Acute Tox. 4	Harmful if inhaled.
Resp. Sens. 1	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
STOT SE 3	May cause respiratory irritation.
STOT RE 2	May cause damage to organs through prolonged or repeated exposure if inhaled.

### Label elements

#### Pictograms and Signal Words



Danger

### Hazard statements:

H280	Contains gas under pressure; may explode if heated.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.

### Precautionary statements:

P202	Do not handle until all safety precautions have been read and understood.
P251	Do not pierce or burn, even after use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P262	Do not get in eyes, on skin, or on clothing.

P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P501	Dispose of contents/container in accordance with applicable regulations.

**Ingredient(s) with unknown acute toxicity:**

None

**Hazards not otherwise classified identified during the classification process:**

None

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Substances**

N.A.

**Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

**List of components**

<b>Concentration (% w/w)</b>	<b>Name</b>	<b>Ident. Numb.</b>	<b>Classification</b>	<b>Registration Number</b>
25-50 %	POLYMETHYLENE POLYPHENYLENE ISOCYANATE	CAS:9016-87-9	Acute Tox. 4, H332; STOT SE 3, H335; Skin Irrit. 2, H315; STOT RE 2, H373; Eye Irrit. 2A, H319; Resp. Sens. 1, H334; Skin Sens. 1, H317	
25-50 %	4,4'-METHYLENEDIPHENYL DIISOCYANATE	CAS:101-68-8 EC:202-966-0 Index:615-005-00-9	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; STOT RE 2, H373; Carc. 2, H351; Resp. Sens. 1, H334; Skin Sens. 1, H317	
10-20 %	TRI-(2-CHLOROISOPROPYL)PHOSPHATE	CAS:13674-84-5 EC:237-158-7	Acute Tox. 4, H302	

**4. FIRST AID MEASURES**

**Description of first aid measures**

In case of skin contact:

- Immediately take off all contaminated clothing.
- OBTAIN IMMEDIATE MEDICAL ATTENTION.
- Obtain medical attention if skin related symptoms persist.
- Remove contaminated clothing immediately and dispose of safely.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

**Most important symptoms/effects, acute and delayed**

Eye irritation

Eye damages

Skin Irritation

Erythema

**Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

---

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media:**

None in particular.

**Specific hazards arising from the chemical**

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: N.A.

Explosive properties: Not Relevant

Oxidizing properties: Not Relevant

**Special protective equipment and precautions for fire-fighters**

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

**Methods and material for containment and cleaning up**

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

---

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

**Conditions for safe storage, including any incompatibilities**

Storage temperature: N.A.

Always keep in a well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour Note
4,4'-METHYLENEDIPHENYL DIISOCYANATE	ACGIH				0.005			respiratory sensitization (listed under Methylene bisphenyl isocyanate (MDI));
	OSHA		C			0.2	0.02	
	MAK	GERMANY		0.05				respiratory sensitization (listed under Methylene bisphenyl isocyanate (MDI));
	ACGIH				0.005			
MAK	AUSTRIA		0.05	0.005	0.1	0.01		

Appropriate engineering controls: N.A.

#### Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness  $\geq 0,35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Butyl rubber - IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: liquid Amber

Odour: mild

Odour threshold: Not Relevant

pH: Not Relevant

Melting point / freezing point: Not Relevant

Initial boiling point and boiling range: 208 °C (406 °F)

Flash point: 204 °C (399 °F)

Evaporation rate: Not Relevant

Upper/lower flammability or explosive limits: Not Relevant

Vapour density: Not Relevant

Vapour pressure: Not Relevant

Relative density: 1.23 g/cm<sup>3</sup>

Solubility in water: Insoluble

Solubility in oil: Not Relevant

Partition coefficient (n-octanol/water): Not Relevant

Auto-ignition temperature: Not Relevant

Decomposition temperature: Not Relevant

Viscosity: Not Relevant

Explosive properties: Not Relevant  
Oxidizing properties: Not Relevant  
Solid/gas flammability: Not Relevant

**Other information**

Substance Groups relevant properties Not Relevant  
Miscibility: Not Relevant  
Fat Solubility: Not Relevant  
Conductivity: Not Relevant

---

**10. STABILITY AND REACTIVITY**

**Reactivity**

Stable under normal conditions

**Chemical stability**

Data not available.

**Possibility of hazardous reactions**

None.

**Conditions to avoid**

Stable under normal conditions.

**Incompatible materials**

None in particular.

**Hazardous decomposition products**

None.

---

**11. TOXICOLOGICAL INFORMATION**

**Information on toxicological effects**

**Toxicological information of the mixture:**

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

**Toxicological information on main components of the mixture:**

4,4'- METHYLENEDIPHENYL DIISOCYANATE	a) acute toxicity	LC50 Inhalation Rat = 369 mg/m <sup>3</sup> 4h  LD50 Oral Rat = 31600 mg/kg
TRI-(2- CHLOROISOPROPYL) PHOSPHATE	a) acute toxicity	LD50 Skin Rabbit = 1230 mg/kg  LC50 Inhalation Rat = 5 mg/l 4h LD50 Skin Rabbit > 5000 mg/kg LC50 Inhalation Rat > 5.05 mg/l 4h LD50 Oral Rat = 1500 mg/kg

**If not differently specified, the information required in the regulation and listed below must be considered as N.A.**

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure  
Toxicological kinetics, metabolism  
and distribution information
- i) STOT-repeated exposure
- j) aspiration hazard

**Substance(s) listed on the IARC Monographs:**

**Substance(s) listed as OSHA Carcinogen(s):**

None

**Substance(s) listed as NIOSH Carcinogen(s):**

None

**Substance(s) listed on the NTP report on Carcinogens:**

None

---

**12. ECOLOGICAL INFORMATION****Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

**List of components with eco-toxicological properties**

<b>Component</b>	<b>Ident. Numb.</b>	<b>Ecotox Infos</b>
TRI-(2- CHLOROISOPROPYL)PHOSPHATE	CAS: 13674-84-5 - EINECS: 237-158-7	a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 98 mg/L 96h  a) Aquatic acute toxicity : LC50 Fish Poecilia reticulata = 30 mg/L 96h a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 63 mg/L 48h IUCLID  a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 45 mg/L 72h IUCLID  a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata = 4 mg/L 96h IUCLID  a) Aquatic acute toxicity : LC50 Fish Brachydanio rerio = 56.2 mg/L 96h

**Persistence and degradability**

N.A.

**Bioaccumulative potential**

N.A.

**Mobility in soil**

N.A.

**Other adverse effects**

N.A.

---

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

### UN number

ADR-UN number: 3500  
DOT-UN Number: UN3500  
IATA-Un number: 3500  
IMDG-Un number: 3500

### UN proper shipping name

ADR-Shipping Name: CHEMICAL UNDER PRESSURE, N.O.S. (TRANS-1,3,3,3-TETRAFLUOROPROP-1-ENE - NITROGEN)  
DOT-Proper Shipping Name: Chemical under pressure, n.o.s (TRANS-1,3,3,3-TETRAFLUOROPROP-1-ENE - NITROGEN)  
IATA-Technical name: CHEMICAL UNDER PRESSURE, N.O.S. (TRANS-1,3,3,3-TETRAFLUOROPROP-1-ENE - NITROGEN)  
IMDG-Technical name: CHEMICAL UNDER PRESSURE, N.O.S. (TRANS-1,3,3,3-TETRAFLUOROPROP-1-ENE - NITROGEN)

### Transport hazard class(es)

ADR-Class: 2  
DOT-Hazard Class: 2.2  
IATA-Class: 2.2  
IMDG-Class: 2.2

### Packing group

ADR-Packing Group: -  
DOT-Packing group: -  
IATA-Packing group: -  
IMDG-Packing group: -

### Environmental hazards

Marine pollutant: No  
Environmental Pollutant: N.A.

### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

### Special precautions

Department of Transportation (DOT):

DOT-Special Provision(s): 362, T50, TP40  
DOT-Label(s): 2.2  
DOT-Symbol: N/A  
DOT-Cargo Aircraft: N/A  
DOT-Passenger Aircraft: N/A  
DOT-Bulk: N/A  
DOT-Non-Bulk: N/A

Road and Rail (ADR-RID) :

ADR-Label: 2.2  
ADR-Hazard identification number: 20  
ADR-Transport category (Tunnel restriction code): 3 (C/E)

Air (IATA) :

IATA-Passenger Aircraft: 218  
IATA-Cargo Aircraft: 218  
IATA-Label: 2.2  
IATA-Subsidiary hazards: -  
IATA-Erg: 2L  
IATA-Special Provisioning: A187

Sea (IMDG) :

IMDG-Stowage Code: Category B  
IMDG-Stowage Note: -  
IMDG-Subsidiary hazards: -  
IMDG-Special Provisioning: 274 362  
IMDG-Page: N/A  
IMDG-Label: N/A  
IMDG-EMS: F-C, S-V  
IMDG-MFAG: N/A

---

## 15. REGULATORY INFORMATION

## USA - Federal regulations

### TSCA - Toxic Substances Control Act

#### TSCA inventory:

All the components are listed on the TSCA inventory

#### TSCA listed substances:

4,4'-METHYLENEDIPHENYL DIISOCYANATE is listed in TSCA Section 8b Section 8a - PAIR

TRI-(2-CHLOROISOPROPYL)PHOSPHATE is listed in TSCA Section 8b

### SARA - Superfund Amendments and Reauthorization Act

#### Section 302 - Extremely Hazardous Substances:

No substances listed

#### Section 304 - Hazardous substances:

4,4'-METHYLENEDIPHENYL DIISOCYANATE

#### Section 313 - Toxic chemical list:

4,4'-METHYLENEDIPHENYL DIISOCYANATE

### CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

#### Substance(s) listed under CERCLA:

4,4'-METHYLENEDIPHENYL DIISOCYANATE Reportable quantity: 5000 pounds

### CAA - Clean Air Act

#### CAA listed substances:

4,4'-METHYLENEDIPHENYL DIISOCYANATE is listed in CAA Section 112(b) - HAP Section 112(b) - HON

### CWA - Clean Water Act

#### CWA listed substances:

No substances listed

## USA - State specific regulations

### California Proposition 65

#### Substance(s) listed under California Proposition 65:

No substances listed

### Massachusetts Right to know

#### Substance(s) listed under Massachusetts Right to know:

4,4'-METHYLENEDIPHENYL DIISOCYANATE

### Pennsylvania Right to know

#### Substance(s) listed under Pennsylvania Right to know:

4,4'-METHYLENEDIPHENYL DIISOCYANATE

### New Jersey Right to know

#### Substance(s) listed under New Jersey Right to know:

4,4'-METHYLENEDIPHENYL DIISOCYANATE

## Canada - Federal regulations

### DSL - Domestic Substances List

#### DSL Inventory:

All the substances are listed in the DSL.

### NDSL - Non Domestic Substances List

#### NDSL Inventory:

No substances listed

### NPRI - National Pollutant Release Inventory

#### Substances listed in NPRI:

No substances listed

## 16. OTHER INFORMATION

Safety Data Sheet dated: 9/2/2021 - version 2

### Additional classification information

NFPA Health: 2 = Moderate  
NFPA Flammability: 1 = Combustible if heated  
NFPA Reactivity: 1 = Slight  
NFPA Special Risk: N.A.



Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.

### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
IMDG: International Maritime Code for Dangerous Goods.  
IATA: International Air Transport Association.  
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
ICAO: International Civil Aviation Organization.  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
CLP: Classification, Labeling, Packaging.  
EINECS: European Inventory of Existing Commercial Chemical Substances.  
INCI: International Nomenclature of Cosmetic Ingredients.  
CAS: Chemical Abstracts Service (division of the American Chemical Society).  
GefStoffVO: Ordinance on Hazardous Substances, Germany.  
LC50: Lethal concentration, for 50 percent of test population.  
LD50: Lethal dose, for 50 percent of test population.  
DNEL: Derived No Effect Level.  
PNEC: Predicted No Effect Concentration.  
TLV: Threshold Limiting Value.  
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
WGK: German Water Hazard Class.  
KSt: Explosion coefficient.

### Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 15. REGULATORY INFORMATION