

POLYGLASS®



FIRE-RATED ROOFING SOLUTIONS TO
PROTECT YOUR COMMUNITIES

FEATURING

POLYSTICK® XFR
POLYANCHOR® XFR



Protect Your Community with Ember-Resistant Roofing

Polyglass is committed to helping municipalities and residential home builders meet strict building codes while ensuring long-term fire protection. Our Polystick® XFR and Polyanchor® XFR underlayments are WUI (Wildland Urban Interface) and CAL-FIRE approved, designed for ember resistance and slowing the spread of flame. These products are essential for pre-disaster protection, ensuring buildings are safeguarded from the impacts of wildfires, and provide confidence for post-disaster rebuilding efforts.

POLYSTICK® XFR - Self-Adhered Fire-Resistant Roof Underlayment

Features & Benefits:

- **Superior Fire Protection:** Under metal roof coverings and asphalt shingles to achieve Class A fire ratings.
- **High-Temperature Performance:** Approved for applications up to 265°F and the protective shield of defense under metal roof systems
- **Waterproofing Excellence:** Enhances roof integrity by preventing moisture infiltration
- **Easy Installation:** Self-adhered technology minimizes labor costs and installation time

Building Codes and Approvals:

- ✓ Wildland Urban Interface (WUI) Approved Product
 - ✓ CAL-FIRE Listed
 - ✓ Helps achieve UL Class A for Combustible Decks using a single layer*
 - ✓ Meets or exceeds industry fire safety regulations
- * Unlimited Slope. Refer to published UL product listings (TGFU.R25992) for specific fire rated assemblies



POLYANCHOR® XFR - Ember Resistant Fire Rated Underlayment

Features & Benefits:

- **Ember Resistance:** Protects against airborne embers that cause ignition
- **Flame Spread Reduction:** Provides crucial fire protection for high-risk fire zones
- **Robust Durability:** Reinforced construction ensures longevity and performance
- **Water-Resistant Barrier:** Superior waterproofing and fire/ember resistance in a single-layer underlayment.
- **Secure Mechanical Attachment:** Offers stability and reliability under extreme conditions
- **Versatile Compatibility:** Works seamlessly with various roofing materials, including asphalt shingles and clay/concrete tile

Building Codes and Approvals:

- ✓ WUI Approved Product
- ✓ CAL-FIRE Listed
- ✓ Passed ASTM E108 Class A burning brand test under tile
- ✓ Meets or exceeds local and national fire codes



Why Choose Polyglass Fire-Rated Underlayments?



Municipality & Builder Support:

Helping communities meet and exceed fire safety regulations



Pre-Disaster Protection:

Strengthen buildings before disaster strikes with industry-leading fire-resistant materials



Post-Disaster Security:

Ensure safe, code-compliant rebuilding that provides peace of mind for homeowners and builders



Ensure your next project is built to withstand fire risks with Polyglass' trusted fire-rated solutions.



THE BURNING TRUTH



More than 60,000 communities in the United States are at risk for WUI fires



Between 2002 and 2016, an average of over 3,000 structures per year were lost to WUI fires in the United States



The WUI area continues to grow by approximately 2 million acres per year




States with the greatest number of houses in the WUI:

1. California 2. Texas 3. Florida 4. North Carolina 5. Pennsylvania

National Association of State Foresters PDF , U.S. Department of Homeland Security and National Institute of Standards and Technology

See For Yourself!



POLYSTICK® XFR



POLYANCHOR® XFR



Visit www.polyglass.us or contact your Polyglass representative to get these products listed with your local building codes.



POLYGLASS®



POLYGLASS U.S.A., Inc.

1111 West Newport Center Drive, Deerfield Beach, FL 33442
pgmarketing@polyglass.com • Customer Service: (800) 222-9782

polyglass.us

All information printed is accurate at the time of publication and may change at any time with or without notice. For the most up to date information and data, please visit our website at polyglass.us.

© 2025 Polyglass U.S.A., Inc. All rights reserved.