

Safety Data Sheet

FORTRIX EP /A (ACQ)

Safety Data Sheet dated 7/29/2026 version 2

Date of first edition: 11/20/2025

1. IDENTIFICATION

Product identifier used on the label

Mixture identification:

Trade name: FORTRIX EP /A (ACQ)

Trade code: 9067415

Recommended use of the chemical and restrictions on use

Recommended use: Primer

Restrictions on use: Not available

Name, U.S. address, and U.S. telephone number of the chemical manufacturer, importer, or other responsible party

Company: Polyglass U.S.A. Inc.

1111 West Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 866-222-9782

Responsible: RDProductSafety@mapei.com

Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. HAZARD(S) IDENTIFICATION



Classification of the chemical

Carcinogenicity, Category 1A

May cause cancer if inhaled.

Label elements

Hazard pictograms and Signal Word



Danger

Hazard statements

H350 May cause cancer if inhaled.

Precautionary statements

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P280 Wear protective gloves/clothing and eye/face protection.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P501 Dispose of contents/container in accordance with applicable regulations.

Hazards associated with foreseeable chemical reactions

None

Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

Qty	Name	Ident. Numb.	Classification
≥3 - <5 %	propylene glycol monomethyl ether; 1-methoxy-2-propanol	CAS:107-98-2 EC:203-539-1 EU CLP Index:603-064-00-3	Flam. Liq. 3, H226; STOT SE 3, H336
≥0.5 - <0.6 %	carbon black; acetylene black	CAS:1333-86-4 EC:215-609-9	Comb. Dust, USH003
≥0.5 - <0.6 %	silica sand; quartz	CAS:14808-60-7 EC:238-878-4	STOT RE 1, H372; Carc. 1A, H350

The actual concentration of the components listed above is withheld as a trade secret.

Not Relevant

4. FIRST AID MEASURES

Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

Not available

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not available

Oxidizing properties: Not available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.
Exercise the greatest care when handling or opening the container.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits (OEL)

propylene glycol monomethyl ether; 1-methoxy-2-propanol

CAS: 107-98-2	ACGIH	Long Term: 50 ppm; Short Term: 100 ppm	
		Notes: A4 - Eye and URT irr	
		Long Term: 50 ppm; Short Term: 100 ppm	
		Notes: A4 - Not Classifiable as a Human Carcinogen; eye and upper respiratory tract irritation	
	EU	Long Term: 375 mg/m ³ - 100 ppm; Short Term: 563 mg/m ³ - 150 ppm	
		Notes: Skin	
	MAK	AUSTRIA	Long Term: 187 mg/m ³ - 50 ppm; Short Term: 187 mg/m ³ - 50 ppm
			Short Term: Ceiling - 187 mg/m ³ - 50 ppm
	MAK	SWITZERLAND	Long Term: 360 mg/m ³ - 100 ppm
		D	
	MAK	GERMANY	Long Term: 370 mg/m ³ - 100 ppm

carbon black; acetylene black

CAS: 1333-86-4	ACGIH	Long Term: 3 mg/m ³	
		Notes: A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans; bronchitis;	
		Long Term: 3 mg/m ³	
		Notes: A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans; bronchitis	
	OSHA	Long Term: 3.5 mg/m ³	

Predicted No Effect Concentration (PNEC) values

propylene glycol monomethyl ether; 1-methoxy-2-propanol

CAS: 107-98-2	Exposure Route: Fresh Water; PNEC Limit: 10 mg/l		
	Exposure Route: Intermittent release; PNEC Limit: 100 mg/l		
	Exposure Route: Marine water; PNEC Limit: 1 mg/l		
	Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 100 mg/l		
	Exposure Route: Freshwater sediments; PNEC Limit: 52.3 mg/kg		
	Exposure Route: Marine water sediments; PNEC Limit: 5.2 mg/kg		
	Exposure Route: Soil; PNEC Limit: 4.59 mg/kg		

Derived No Effect Level (DNEL) values

propylene glycol monomethyl ether; 1-methoxy-2-propanol

CAS: 107-98-2	Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects		
	Worker Professional: 369 mg/m ³		

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, systemic effects
Worker Professional: 553.5 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects
Worker Professional: 553.5 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Worker Professional: 183 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Consumer: 43.9 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Consumer: 78 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects
Consumer: 33 mg/m3

Appropriate engineering controls: Not available

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use contact lenses.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Nitrile rubber - NBR: thickness $\geq 0,35\text{mm}$; breakthrough time $\geq 480\text{min}$.

Butyl rubber - IIR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Fluorinated rubber - FKM: thickness $\geq 0,4\text{mm}$; breakthrough time $\geq 480\text{min}$.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state:	Liquid
Appearance and colour:	No data available
Odour:	characteristic
Odour threshold:	No data available
Melting point / freezing point:	No data available
Initial boiling point and boiling range:	100 °C (212 °F)
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH:	No data available
Viscosity:	No data available
Kinematic viscosity:	No data available
Solubility in water:	No data available
Solubility in oil:	No data available

Partition coefficient (n-octanol/water):	No data available
Vapour pressure:	No data available
Evaporation rate:	No data available
Relative density:	1.50 g/cm ³
Vapour density:	No data available

Particle characteristics:

Particle size:	No data available
----------------	-------------------

Other information

Explosive properties:	No data available
Oxidizing properties:	No data available
Solid/gas flammability:	No data available
Substance Groups relevant properties:	No data available
Miscibility:	No data available
Fat Solubility:	No data available
Conductivity:	No data available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological Information of the Preparation

a) acute toxicity	Not classified Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified Based on available data, the classification criteria are not met
c) serious eye damage/irritation	Not classified Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation	Not classified Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified Based on available data, the classification criteria are not met
f) carcinogenicity	The product is classified: Carcinogenicity, Category 1A(H350)
g) reproductive toxicity	Not classified Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified

j) aspiration hazard

Based on available data, the classification criteria are not met

Not classified

Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

propylene glycol monomethyl ether; 1-methoxy-2-propanol

CAS: 107-98-2 a) acute toxicity LD50 Oral Rat = 5300 mg/kg
LD50 Skin Rabbit = 13000 mg/kg
LC50 Inhalation Rat = 28.8 mg/l 4h
LD50 Skin Rabbit = 13 g/kg
LC50 Inhalation Rat > 7559 ppm 6h
LD50 Oral Rat = 5000 mg/kg
h) STOT-single exposure NOAEL Oral Rat = 919 mg/kg
NOAEL Inhalation Rat = 3.7 mg/kg
NOAEL Skin Rabbit > 1000 mg/kg

carbon black; acetylene black

CAS: 1333-86-4 a) acute toxicity LD50 Oral Rat > 8000 mg/kg
LD50 Oral Rat > 15400 mg/kg

silica sand; quartz

CAS: 14808-60-7 a) acute toxicity LD50 Oral > 2000 mg/kg
LD50 Skin > 2000 mg/kg

Substance(s) listed on the IARC Monographs:

carbon black; acetylene black Group 2B
silica sand; quartz Group 1

Substance(s) listed as OSHA Carcinogen(s):

carbon black; acetylene black
silica sand; quartz

Substance(s) listed as NIOSH Carcinogen(s):

carbon black; acetylene black
silica sand; quartz

Substance(s) listed on the NTP report on Carcinogens:

silica sand; quartz

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

List of Eco-Toxicological properties of the components

propylene glycol monomethyl ether; 1-methoxy-2-propanol

CAS: 107-98-2 a) Aquatic acute toxicity: LC50 Fish = 5000 mg/L 96
a) Aquatic acute toxicity: EC50 Daphnia = 23300 mg/L 48
a) Aquatic acute toxicity: EC50 Algae > 1000 mg/L 96
a) Aquatic acute toxicity: LC50 Bacteria > 1000 mg/L 3
a) Aquatic acute toxicity: LC50 Fish Pimephales promelas = 20.8 g/l 96h IUCLID
a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 23300 mg/L 48h IUCLID

carbon black; acetylene black

CAS: 1333-86-4 a) Aquatic acute toxicity: LC50 Fish > 1000 mg/L 96
a) Aquatic acute toxicity: EC50 Daphnia > 5600 mg/L 24

a) Aquatic acute toxicity: EC50 Algae > 10000 mg/L 72

Persistence and degradability

propylene glycol monomethyl ether; 1-methoxy-2-propanol

CAS: 107-98-2 Readily biodegradable Duration: 28 d
Notes: 86% - OCSE N.301 E

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

UN number

DOT-UN Number: Not Applicable

ADR-UN number: Not Applicable

IATA-Un number: Not Applicable

IMDG-Un number: Not Applicable

UN proper shipping name

DOT-Proper Shipping Name: Not Applicable

ADR-Shipping Name: Not Applicable

IATA-Technical name: Not Applicable

IMDG-Technical name: Not Applicable

Transport hazard class(es)

DOT-Hazard Class: Not Applicable

ADR-Class: Not Applicable

IATA-Class: Not Applicable

IMDG-Class: Not Applicable

Packing group

DOT Packing Group: Not Applicable

ADR-Packing Group: Not Applicable

IATA-Packing group: Not Applicable

IMDG-Packing group: Not Applicable

Environmental hazards

Marine pollutant: No

Environmental Pollutant: Not Applicable

DOT-RQ: No

Transport in bulk according to IMO instruments

N.A.

Not Applicable

Special precautions

Department of Transportation (DOT):

Not Applicable

Road and Rail (ADR-RID) :

Not Applicable

Air (IATA) :

Not Applicable

Sea (IMDG) :

Not Applicable

15. REGULATORY INFORMATION

This Safety Data Sheet has been prepared according to the Hazard Communication Standard 2024 (HCS 2024)

USA - Federal regulations

TSCA - Toxic Substances Control Act

All the components are listed on the TSCA inventory

TSCA listed substances:

propylene glycol monomethyl ether; 1-methoxy-2-propanol is listed in TSCA Section 8b

carbon black; acetylene black is listed in TSCA Section 8b

silica sand; quartz is listed in TSCA Section 8b

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

No substances listed

Section 304 - Hazardous substances:

No substances listed

Section 313 - Toxic chemical list:

No substances listed

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

No substances listed

CAA - Clean Air Act

CAA listed substances:

propylene glycol monomethyl ether; 1-methoxy-2-propanol is listed in CAA Section 112(b) - HON

CWA - Clean Water Act

CWA listed substances:

No substances listed

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

carbon black; acetylene black Listed as carcinogen

silica sand; quartz Listed as carcinogen

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

propylene glycol monomethyl ether; 1-methoxy-2-propanol

carbon black; acetylene black

silica sand; quartz

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

propylene glycol monomethyl ether; 1-methoxy-2-propanol

carbon black; acetylene black

silica sand; quartz

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

propylene glycol monomethyl ether; 1-methoxy-2-propanol
carbon black; acetylene black
silica sand; quartz

Canada - Federal regulations

DSL - Domestic Substances List

Not compliant to DSL inventory

NDSL - Non Domestic Substances List

Not compliant to NDSL inventory

NPRI - National Pollutant Release Inventory

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

16. OTHER INFORMATION

Safety Data Sheet dated: 7/29/2026 - version 2

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
------	-------------

H226	Flammable liquid and vapour.
------	------------------------------

H336	May cause drowsiness or dizziness.
------	------------------------------------

H350	May cause cancer.
------	-------------------

H372	Causes damage to organs through prolonged or repeated exposure.
------	---

USH003	May form combustible dust concentrations in air.
--------	--

Code	Hazard class and hazard category	Description
A.6/1A	Carc. 1A	Carcinogenicity, Category 1A
A.8/3	STOT SE 3	Specific target organ toxicity following single exposure, Category 3
A.9/1	STOT RE 1	Specific target organ toxicity following repeated exposure, Category 1
B.6/3	Flam. Liq. 3	Flammable Liquids — Category 3
US-ADD/CD	Comb. Dust	Combustible dust

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EU CLP Index: Index number as reported in Annex VI to EU Reg. 1272/2008

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- Safety Data Sheet
- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 15. REGULATORY INFORMATION